



Orthopaedic Saw Blades



IMEDICOM CO., LTD.

#612, 172 LS-ro, Gunpo-si, Gyeonggi-do, 435-824 Korea
T. 82-31-479-1156 F. 82-31-479-1157
www.imedicom.co.kr

MicroAire is a trademark of MicroAire Surgical Instruments.
DeSoutter is a trademark of DeSoutter Surgical.
3M is a trademark of Linvatec Corporation.
Synthes is a trademark of Synthes Inc.
Stryker is a trademark of Stryker Corporation.
Hall is a trademark of Linvatec Corporation.
Aesculap is a trademark of Aesculap AG & Co. KG.
IMEDICOM is not affiliated with any of the above.

All rights of distribution, also by photocopy, reprint(also in the form of extracts) or storing and recovery in any kind of data processing device are reserved and require our written approval.

The information, illustrations and graphs included in this catalogue are correct and true to the best of our knowledge and belief. However, they cannot be regarded as binding warranty of quality. The user is responsible for checking the products prior to use whether they are suited for the intended purpose. We can only be held liable for these instruments pursuant to our terms of delivery and payment. Subject to technical alterations.



Feel the Innovation! Feel the Performance!

IMEDICOM® PREMIUM SAW BLADE


UNIQUE WAVE SURFACE IMEDICOM®

IMEDICOM® Premium cut blade has wave surface which is patent pending for it's outstanding design and performance. This unique design provide

- Compare with other same thickness blade, IMEDICOM® Premium blade is light than others. Its helps to prolong lifetime of power tools.
- Due to the wave surface IMEDICOM® premium blade has low surface friction and increase cutting performance.
- Wave surface facilitates to get removed bone chip during cutting the bones.



Dimensions and Descriptions



Numbering System






Model No. 730					ORDER CODE		
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600
A	0.4mm	0.7mm	28mm	8.4mm			
					SBL-730A	SBA-730A	SBM-730A



Choose your power system hub type

This is your order code



01 EXCELLENT CUTTING SAW BLADE



Model No. 900					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.99mm	91.5mm	25.4mm	KMS-900A	KSO-900A	KLT-900A	KLM-900A	KA0-900A	KDO-900A	KAS-900A	KPO-900A	KMO-900A	KBO-900A
B	1.20mm	1.22mm	91.5mm	25.4mm	KMS-900B	KSO-900B	KLT-900B	KLM-900B	KA0-900B	KDO-900B	KAS-900B	KPO-900B	KMO-900B	KBO-900B
C	1.27mm	1.29mm	91.5mm	25.4mm	KMS-900C	KSO-900C	KLT-900C	KLM-900C	KA0-900C	KDO-900C	KAS-900C	KPO-900C	KMO-900C	KBO-900C
D	1.40mm	1.42mm	91.5mm	25.4mm	KMS-900D	KSO-900D	KLT-900D	KLM-900D	KA0-900D	KDO-900D	KAS-900D	KPO-900D	KMO-900D	KBO-900D






Model No. 915					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.99mm	91.5mm	22mm	KMS-915A	KSO-915A	KLT-915A	KLM-915A	KA0-915A	KDO-915A	KAS-915A	KPO-915A	KMO-915A	KBO-915A
B	1.20mm	1.22mm	91.5mm	22mm	KMS-915B	KSO-915B	KLT-915B	KLM-915B	KA0-915B	KDO-915B	KAS-915B	KPO-915B	KMO-915B	KBO-915B
C	1.27mm	1.29mm	91.5mm	22mm	KMS-915C	KSO-915C	KLT-915C	KLM-915C	KA0-915C	KDO-915C	KAS-915C	KPO-915C	KMO-915C	KBO-915C
D	1.40mm	1.42mm	91.5mm	22mm	KMS-915D	KSO-915D	KLT-915D	KLM-915D	KA0-915D	KDO-915D	KAS-915D	KPO-915D	KMO-915D	KBO-915D





Model No. 930					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.99mm	105mm	19mm	KMS-930A	KSO-930A	KLT-930A	KLM-930A	KA0-930A	KDO-930A	KAS-930A	KPO-930A	KMO-930A	KBO-930A
B	1.20mm	1.22mm	105mm	19mm	KMS-930B	KSO-930B	KLT-930B	KLM-930B	KA0-930B	KDO-930B	KAS-930B	KPO-930B	KMO-930B	KBO-930B
C	1.27mm	1.29mm	105mm	19mm	KMS-930C	KSO-930C	KLT-930C	KLM-930C	KA0-930C	KDO-930C	KAS-930C	KPO-930C	KMO-930C	KBO-930C
D	1.40mm	1.42mm	105mm	19mm	KMS-930D	KSO-930D	KLT-930D	KLM-930D	KA0-930D	KDO-930D	KAS-930D	KPO-930D	KMO-930D	KBO-930D



01 EXCELLENT CUTTING SAW BLADE



Model No. 940					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.99mm	91.5mm	19mm	KMS-940A	KSO-940A	KLT-940A	KLM-940A	KA0-940A	KDO-940A	KAS-940A	KPO-940A	KMO-940A	KBO-940A
B	1.20mm	1.22mm	91.5mm	19mm	KMS-940B	KSO-940B	KLT-940B	KLM-940B	KA0-940B	KDO-940B	KAS-940B	KPO-940B	KMO-940B	KBO-940B
C	1.27mm	1.29mm	91.5mm	19mm	KMS-940C	KSO-940C	KLT-940C	KLM-940C	KA0-940C	KDO-940C	KAS-940C	KPO-940C	KMO-940C	KBO-940C
D	1.40mm	1.42mm	91.5mm	19mm	KMS-940D	KSO-940D	KLT-940D	KLM-940D	KA0-940D	KDO-940D	KAS-940D	KPO-940D	KMO-940D	KBO-940D




Model No. 950					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.99mm	91.5mm	19mm	KMS-950A	KSO-950A	KLT-950A	KLM-950A	KA0-950A	KDO-950A	KAS-950A	KPO-950A	KMO-950A	KBO-950A
B	1.20mm	1.22mm	91.5mm	19mm	KMS-950B	KSO-950B	KLT-950B	KLM-950B	KA0-950B	KDO-950B	KAS-950B	KPO-950B	KMO-950B	KBO-950B
C	1.27mm	1.29mm	91.5mm	19mm	KMS-950C	KSO-950C	KLT-950C	KLM-950C	KA0-950C	KDO-950C	KAS-950C	KPO-950C	KMO-950C	KBO-950C
D	1.40mm	1.42mm	91.5mm	19mm	KMS-950D	KSO-950D	KLT-950D	KLM-950D	KA0-950D	KDO-950D	KAS-950D	KPO-950D	KMO-950D	KBO-950D




Model No. 970					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.99mm	85mm	13mm	KMS-970A	KSO-970A	KLT-970A	KLM-970A	KA0-970A	KDO-970A	KAS-970A	KPO-970A	KMO-970A	KBO-970A
B	1.20mm	1.22mm	85mm	13mm	KMS-970B	KSO-970B	KLT-970B	KLM-970B	KA0-970B	KDO-970B	KAS-970B	KPO-970B	KMO-970B	KBO-970B
C	1.27mm	1.29mm	85mm	13mm	KMS-970C	KSO-970C	KLT-970C	KLM-970C	KA0-970C	KDO-970C	KAS-970C	KPO-970C	KMO-970C	KBO-970C
D	1.40mm	1.42mm	85mm	13mm	KMS-970D	KSO-970D	KLT-970D	KLM-970D	KA0-970D	KDO-970D	KAS-970D	KPO-970D	KMO-970D	KBO-970D


02 PREMIUM SAW BLADE



Model No. 100					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	1.27mm	1.27mm	95.5mm	25.4mm	PMS-100A	PSO-100A	PLT-100A	PLM-100A	PAO-100A	PDO-100A	PAS-100A	PPO-100A	PMO-100A	PBO-100A
B	1.40mm	1.40mm	95.5mm	25.4mm	PMS-100B	PSO-100B	PLT-100B	PLM-100B	PAO-100B	PDO-100B	PAS-100B	PPO-100B	PMO-100B	PBO-100B





Model No. 110					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	1.27mm	1.27mm	95.5mm	23mm	PMS-110A	PSO-110A	PLT-110A	PLM-110A	PAO-110A	PDO-110A	PAS-110A	PPO-110A	PMO-110A	PBO-110A
B	1.40mm	1.40mm	95.5mm	23mm	PMS-110B	PSO-110B	PLT-110B	PLM-110B	PAO-110B	PDO-110B	PAS-110B	PPO-110B	PMO-110B	PBO-110B




Model No. 120					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	1.27mm	1.27mm	95.5mm	19mm	PMS-120A	PSO-120A	PLT-120A	PLM-120A	PAO-120A	PDO-120A	PAS-120A	PPO-120A	PMO-120A	PBO-120A
B	1.40mm	1.40mm	95.5mm	19mm	PMS-120B	PSO-120B	PLT-120B	PLM-120B	PAO-120B	PDO-120B	PAS-120B	PPO-120B	PMO-120B	PBO-120B


03 OSCILLATING SAW BLADE



Model No. 200					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	91.5mm	25.4mm	BMS-200A	BSO-200A	BLT-200A	BLM-200A	BAO-200A	BDO-200A	BAS-200A	BPO-200A	BMO-200A	BBO-200A
B	1.20mm	1.20mm	91.5mm	25.4mm	BMS-200B	BSO-200B	BLT-200B	BLM-200B	BAO-200B	BDO-200B	BAS-200B	BPO-200B	BMO-200B	BBO-200B
C	1.27mm	1.27mm	91.5mm	25.4mm	BMS-200C	BSO-200C	BLT-200C	BLM-200C	BAO-200C	BDO-200C	BAS-200C	BPO-200C	BMO-200C	BBO-200C
D	1.40mm	1.40mm	91.5mm	25.4mm	BMS-200D	BSO-200D	BLT-200D	BLM-200D	BAO-200D	BDO-200D	BAS-200D	BPO-200D	BMO-200D	BBO-200D





Model No. 210					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	91.5mm	23mm	BMS-210A	BSO-210A	BLT-210A	BLM-210A	BAO-210A	BDO-210A	BAS-210A	BPO-210A	BMO-210A	BBO-210A
B	1.20mm	1.20mm	91.5mm	23mm	BMS-210B	BSO-210B	BLT-210B	BLM-210B	BAO-210B	BDO-210B	BAS-210B	BPO-210B	BMO-210B	BBO-210B
C	1.27mm	1.27mm	91.5mm	23mm	BMS-210C	BSO-210C	BLT-210C	BLM-210C	BAO-210C	BDO-210C	BAS-210C	BPO-210C	BMO-210C	BBO-210C
D	1.40mm	1.40mm	91.5mm	23mm	BMS-210D	BSO-210D	BLT-210D	BLM-210D	BAO-210D	BDO-210D	BAS-210D	BPO-210D	BMO-210D	BBO-210D




Model No. 220					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	91.5mm	21mm	BMS-220A	BSO-220A	BLT-220A	BLM-220A	BAO-220A	BDO-220A	BAS-220A	BPO-220A	BMO-220A	BBO-220A
B	1.20mm	1.20mm	91.5mm	21mm	BMS-220B	BSO-220B	BLT-220B	BLM-220B	BAO-220B	BDO-220B	BAS-220B	BPO-220B	BMO-220B	BBO-220B
C	1.27mm	1.27mm	91.5mm	21mm	BMS-220C	BSO-220C	BLT-220C	BLM-220C	BAO-220C	BDO-220C	BAS-220C	BPO-220C	BMO-220C	BBO-220C
D	1.40mm	1.40mm	91.5mm	21mm	BMS-220D	BSO-220D	BLT-220D	BLM-220D	BAO-220D	BDO-220D	BAS-220D	BPO-220D	BMO-220D	BBO-220D


03 OSCILLATING SAW BLADE



Model No. 230					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	105mm	19mm	BMS-230A	BSO-230A	BLT-230A	BLM-230A	BAO-230A	BDO-230A	BAS-230A	BPO-230A	BMO-230A	BBO-230A
B	1.20mm	1.20mm	105mm	19mm	BMS-230B	BSO-230B	BLT-230B	BLM-230B	BAO-230B	BDO-230B	BAS-230B	BPO-230B	BMO-230B	BBO-230B
C	1.27mm	1.27mm	105mm	19mm	BMS-230C	BSO-230C	BLT-230C	BLM-230C	BAO-230C	BDO-230C	BAS-230C	BPO-230C	BMO-230C	BBO-230C
D	1.40mm	1.40mm	105mm	19mm	BMS-230D	BSO-230D	BLT-230D	BLM-230D	BAO-230D	BDO-230D	BAS-230D	BPO-230D	BMO-230D	BBO-230D





Model No. 240					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	91.5mm	19mm	BMS-240A	BSO-240A	BLT-240A	BLM-240A	BAO-240A	BDO-240A	BAS-240A	BPO-240A	BMO-240A	BBO-240A
B	1.20mm	1.20mm	91.5mm	19mm	BMS-240B	BSO-240B	BLT-240B	BLM-240B	BAO-240B	BDO-240B	BAS-240B	BPO-240B	BMO-240B	BBO-240B
C	1.27mm	1.27mm	91.5mm	19mm	BMS-240C	BSO-240C	BLT-240C	BLM-240C	BAO-240C	BDO-240C	BAS-240C	BPO-240C	BMO-240C	BBO-240C
D	1.40mm	1.40mm	91.5mm	19mm	BMS-240D	BSO-240D	BLT-240D	BLM-240D	BAO-240D	BDO-240D	BAS-240D	BPO-240D	BMO-240D	BBO-240D




Model No. 250					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	91.5mm	19mm	BMS-250A	BSO-250A	BLT-250A	BLM-250A	BAO-250A	BDO-250A	BAS-250A	BPO-250A	BMO-250A	BBO-250A
B	1.20mm	1.20mm	91.5mm	19mm	BMS-250B	BSO-250B	BLT-250B	BLM-250B	BAO-250B	BDO-250B	BAS-250B	BPO-250B	BMO-250B	BBO-250B
C	1.27mm	1.27mm	91.5mm	19mm	BMS-250C	BSO-250C	BLT-250C	BLM-250C	BAO-250C	BDO-250C	BAS-250C	BPO-250C	BMO-250C	BBO-250C
D	1.40mm	1.40mm	91.5mm	19mm	BMS-250D	BSO-250D	BLT-250D	BLM-250D	BAO-250D	BDO-250D	BAS-250D	BPO-250D	BMO-250D	BBO-250D

03 OSCILLATING SAW BLADE



Model No. 260					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	91.5mm	17mm	BMS-260A	BSO-260A	BLT-260A	BLM-260A	BAO-260A	BDO-260A	BAS-260A	BPO-260A	BMO-260A	BBO-260A
B	1.20mm	1.20mm	91.5mm	17mm	BMS-260B	BSO-260B	BLT-260B	BLM-260B	BAO-260B	BDO-260B	BAS-260B	BPO-260B	BMO-260B	BBO-260B
C	1.27mm	1.27mm	91.5mm	17mm	BMS-260C	BSO-260C	BLT-260C	BLM-260C	BAO-260C	BDO-260C	BAS-260C	BPO-260C	BMO-260C	BBO-260C
D	1.40mm	1.40mm	91.5mm	17mm	BMS-260D	BSO-260D	BLT-260D	BLM-260D	BAO-260D	BDO-260D	BAS-260D	BPO-260D	BMO-260D	BBO-260D






Model No. 270					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	85mm	13mm	BMS-270A	BSO-270A	BLT-270A	BLM-270A	BAO-270A	BDO-270A	BAS-270A	BPO-270A	BMO-270A	BBO-270A
B	1.20mm	1.20mm	85mm	13mm	BMS-270B	BSO-270B	BLT-270B	BLM-270B	BAO-270B	BDO-270B	BAS-270B	BPO-270B	BMO-270B	BBO-270B
C	1.27mm	1.27mm	85mm	13mm	BMS-270C	BSO-270C	BLT-270C	BLM-270C	BAO-270C	BDO-270C	BAS-270C	BPO-270C	BMO-270C	BBO-270C
D	1.40mm	1.40mm	85mm	13mm	BMS-270D	BSO-270D	BLT-270D	BLM-270D	BAO-270D	BDO-270D	BAS-270D	BPO-270D	BMO-270D	BBO-270D





Model No. 280					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvec / 3M	Linvec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.97mm	0.97mm	64mm	13mm	BMS-280A	BSO-280A	BLT-280A	BLM-280A	BAO-280A	BDO-280A	BAS-280A	BPO-280A	BMO-280A	BBO-280A
B	1.20mm	1.20mm	64mm	13mm	BMS-280B	BSO-280B	BLT-280B	BLM-280B	BAO-280B	BDO-280B	BAS-280B	BPO-280B	BMO-280B	BBO-280B
C	1.27mm	1.27mm	64mm	13mm	BMS-280C	BSO-280C	BLT-280C	BLM-280C	BAO-280C	BDO-280C	BAS-280C	BPO-280C	BMO-280C	BBO-280C
D	1.40mm	1.40mm	64mm	13mm	BMS-280D	BSO-280D	BLT-280D	BLM-280D	BAO-280D	BDO-280D	BAS-280D	BPO-280D	BMO-280D	BBO-280D



03 OSCILLATING SAW BLADE



Model No. 400					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvatec / 3M	Linvatec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	1.05mm	61mm	33mm	BMS-400A	BSO-400A	BLT-400A	BLM-400A	BAO-400A	BDO-400A	BAS-400A	BPO-400A	BMO-400A	BBO-400A






Model No. 401					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvatec / 3M	Linvatec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	1.05mm	61mm	24.6mm	BMS-401A	BSO-401A	BLT-401A	BLM-401A	BAO-401A	BDO-401A	BAS-401A	BPO-401A	BMO-401A	BBO-401A





Model No. 410					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvatec / 3M	Linvatec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	85mm	21mm	BMS-410A	BSO-410A	BLT-410A	BLM-410A	BAO-410A	BDO-410A	BAS-410A	BPO-410A	BMO-410A	BBO-410A



03 OSCILLATING SAW BLADE



Model No. 420					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvatec / 3M	Linvatec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	80mm	17.5mm	BMS-420A	BSO-420A	BLT-420A	BLM-420A	BAO-420A	BDO-420A	BAS-420A	BPO-420A	BMO-420A	BBO-420A





Model No. 430					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvatec / 3M	Linvatec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	61.1mm	12mm	BMS-430A	BSO-430A	BLT-430A	BLM-430A	BAO-430A	BDO-430A	BAS-430A	BPO-430A	BMO-430A	BBO-430A






Model No. 431					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Linvatec / 3M	Linvatec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	73mm	12mm	BMS-431A	BSO-431A	BLT-431A	BLM-431A	BAO-431A	BDO-431A	BAS-431A	BPO-431A	BMO-431A	BBO-431A

03 OSCILLATING SAW BLADE





Model No. 433					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Lintratec / 3M	Lintratec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	65mm	14.6mm	BMS-433A	BSO-433A	BLT-433A	BLM-433A	BAO-433A	BDO-433A	BAS-433A	BPO-433A	BMO-433A	BBO-433A



03 OSCILLATING SAW BLADE





Model No. 460					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Lintratec / 3M	Lintratec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	31mm	6.5mm	BMS-460A	BSO-460A	BLT-460A	BLM-460A	BAO-460A	BDO-460A	BAS-460A	BPO-460A	BMO-460A	BBO-460A



Model No. 440					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Lintratec / 3M	Lintratec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	30mm	12mm	BMS-440A	BSO-440A	BLT-440A	BLM-440A	BAO-440A	BDO-440A	BAS-440A	BPO-440A	BMO-440A	BBO-440A






Model No. 470					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Lintratec / 3M	Lintratec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	25mm	6mm	BMS-470A	BSO-470A	BLT-470A	BLM-470A	BAO-470A	BDO-470A	BAS-470A	BPO-470A	BMO-470A	BBO-470A





Model No. 450					ORDER CODE									
Code	Body Thickness	Cut Thickness	Depth	Width	Stryker	Stryker old	Lintratec / 3M	Lintratec / Microaire	Synthes / Soderm	De Soutter	Aesculap old	Aesculap	Imedicom	Shanghai Bojin
A	0.7mm	0.96mm	31mm	9.2mm	BMS-450A	BSO-450A	BLT-450A	BLM-450A	BAO-450A	BDO-450A	BAS-450A	BPO-450A	BMO-450A	BBO-450A



04 SMALL BONE SAW BLADE



Model No. 700					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	34.76mm	16mm							
					SBL-700A	SBA-700A	SBM-700A	SBS-700A	SBV-700A	SBO-700A	SBC-700A






Model No. 710					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	28.11mm	10mm							
					SBL-710A	SBA-710A	SBM-710A	SBS-710A	SBV-710A	SBO-710A	SBC-710A





Model No. 720					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	44.1mm	9.5mm							
					SBL-720A	SBA-720A	SBM-720A	SBS-720A	SBV-720A	SBO-720A	SBC-720A



04 SMALL BONE SAW BLADE



Model No. 730					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	28mm	8.4mm							
					SBL-730A	SBA-730A	SBM-730A	SBS-730A	SBV-730A	SBO-730A	SBC-730A






Model No. 740					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	44.1mm	5.5mm							
					SBL-740A	SBA-740A	SBM-740A	SBS-740A	SBV-740A	SBO-740A	SBC-740A





Model No. 750					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	28.11mm	5.5mm							
					SBL-750A	SBA-750A	SBM-750A	SBS-750A	SBV-750A	SBO-750A	SBC-750A



04 SMALL BONE SAW BLADE



Model No. 751					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	18.5mm	5.5mm							






Model No. 760					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	15mm	7mm							





Model No. 761					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	18mm	9mm							



04 SMALL BONE SAW BLADE



Model No. 770					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	21mm	7mm							









Model No. 771					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	25mm	9mm							








Model No. 772					ORDER CODE						
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall / Micro100 Micro Choice	Linvatec Hall Micro 100 Oscillating	Microaire 7600	Stryker TPS	Linvatec 3M Microdriver	Linvatec 3M Mini driver I	Linvatec 3M Mini driver II
A	0.4mm	0.7mm	31mm	9mm							

05 RECIPROCATING SAW BLADE



Model No. 600					ORDER CODE			
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall	Linvatec 3M Reciprocating	Stryker EHD System 2000	Synthes / Sodem
A	0.7mm	0.96mm	70.6mm	12.75mm				
					RLH-600A	RLT-600A	RST-600A	RAO-600A



Model No. 600					ORDER CODE			
Code	Body Thickness	Cut Thickness	Depth	Width	Linvatec Hall	Linvatec 3M Reciprocating	Stryker EHD System 2000	Synthes / Sodem
A	0.7mm	0.96mm	68.6mm	10.2mm				
					RLH-610A	RLT-610A	RST-610A	RAO-610A